

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030097427"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 08:56
S2	604	"709"/\$.ccls. and (imag\$3 near5 device) and (print\$3 near5 device) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:09
S3	16	S2 and ((remote or second\$4 or client) near5 device) and (configur\$5 near15 (imag\$4 adj3 device))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:14
S4	0	S3 and ((upgrade or chang\$3 or modif\$5) near5 command) and (location or address) near5 (imag\$4 adj (device or equipment or facility))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 09:05
S5	1	S3 and ((upgrade or chang\$3 or modif\$5) near5 command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 09:05
S6	1	"20020035617"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 10:03
S7	12003551	"709"/\$.ccls. and (imag\$3 near5 device) and (print\$3 near5 device) and (upgrad\$3 or updat\$3 ) @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:11
S8	417	"709"/\$.ccls. and (imag\$3 near5 device) and (print\$3 near5 device) and (upgrad\$3 or updat\$3 ) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:14
S9	12	S8 and ((remote or second\$4 or client) near5 device) and (configur\$5 near15 (imag\$4 adj3 device))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:11
S10	4852	(imag\$3 near5 device) and (print\$3 near5 device) and (upgrad\$3 or updat\$3 ) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:14
S11	125	S10 and ((remote or second\$4 or client) near5 device) and (configur\$5 near15 (imag\$4 adj3 device))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:15
S12	1	S11 and ((mask or exclude) near10 (upgrad\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:48
S13	1	S11 and ((mask or exclude or except or prevent or prohibit) near10 (upgrad\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:51

S14	0	S11 and ((mask or exclude or except or prevent or prohibit) near10 (upgrad\$3 or config or updat))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:50
S15	7	S11 and ((mask or exclude or except or prevent or prohibit) near10 (upgrad\$3 or updat\$3 or config\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/23 14:51

Pages:533 - 535

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) IEEE JNL

---

**5 Locking Behavior of a Microwave Multiple-Device Ladder Oscillator**

*Nogi, S.; Fukui, K.;*

Microwave Theory and Techniques, IEEE Transactions on , Volume: 33 , Issue 3 , Mar 1985

Pages:253 - 262

[\[Abstract\]](#) [\[PDF Full-Text \(1056 KB\)\]](#) IEEE JNL

---

**6 On the Graceful Degradation Performance of Multiple-Device Oscillators (Short Papers)**

*Sarkar, S.; Agrawal, M.C.;*

Microwave Theory and Techniques, IEEE Transactions on , Volume: 33 , Issue 2 , Feb 1985

Pages:168 - 170

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) IEEE JNL

---

**7 A Waveguide-Cavity Multiple-Device FET Oscillator**

*Materka, A.; Mizushima, S.;*

Microwave Theory and Techniques, IEEE Transactions on , Volume: 82 , Issue 8 , Aug 1982

Pages:1237 - 1241

[\[Abstract\]](#) [\[PDF Full-Text \(584 KB\)\]](#) IEEE JNL

---

**8 Combining the Powers from Multiple-Device Oscillators**

*Madihian, M.; Mizushima, S.;*

Microwave Theory and Techniques, IEEE Transactions on , Volume: 82 , Issue 8 , Aug 1982

Pages:1228 - 1233

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) IEEE JNL

---

**9 A Multiple-Device Cavity Oscillator Using Both Magnetic and Electric Coupling Mechanisms**

*Madihian, M.; Materka, A.; Mizushima, S.;*

Microwave Theory and Techniques, IEEE Transactions on , Volume: 82 , Issue 11 , Nov 1982

Pages:1939 - 1944

[\[Abstract\]](#) [\[PDF Full-Text \(760 KB\)\]](#) IEEE JNL

---

**10 Using multiple devices simultaneously for display and control**

*Myers, B.A.;*

Personal Communications, IEEE [see also IEEE Wireless Communications] , Volume: 7 , Issue: 5 , Oct. 2000

Pages:62 - 65

[\[Abstract\]](#) [\[PDF Full-Text \(1196 KB\)\]](#) IEEE JNL

---